



BNC CONNECTORS



✓ Active

[↓](#) **PRODUCT DRAWING**
English

[↓](#) **3D PDF**

TE CONNECTIVITY (TE)

BNC PCB VERTICAL JACK W/POST

PCF , PCH

227673-1

TE Internal Number: 227673-1

Always EU RoHS/ELV Compliant

Applies To **Printed Circuit Board**

Panel Mount Retention **With**

Panel Mount Retention Type **Lockwasher and Nut**

PCB Mount Retention **With**

PCB Termination Method **Through Hole**

Product Drawings

[JACK, VERTICAL, PCB, 50 OHM, SERIES BNC](#)

PDF (**TIFF AVAILABLE**)
English

[JACK, VERTICAL, PCB, 50 OHM, SERIES BNC](#)

PDF (**TIFF AVAILABLE**)
English

CAD Files

[Customer View Model](#)

2D_DXF.ZIP
English

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

[3D PDF](#)

PDF
English

Product Specifications

Product Specification

[BNC PCB Straight And Right Angle Connectors](#)

PDF
English

Instruction Sheets

Instruction Sheet (U.S.)

[Commercial BNC Jack Connectors F/PC Board And Panel Mounting](#)

PDF
English

[Commercial BNC Jack Connectors F/PC Board And Panel Mounting](#)

TIF
English

Drawing for all design activity.

Product Type Features	Applies To	Printed Circuit Board
	Sealed	No
	RF Connector Type	BNC
	Connector Style	Jack
	PCB Mounting Orientation	Vertical
	Dielectric Material	Polymethylpentene
	ESD Protection	Without
	Isolated Ground	No
	Grade	Commercial
	Product Type	Connector - RF
Configuration Features	Solder Terminal	Without
	Number of Ports	1
Electrical Characteristics	50 Ohm	Yes
	75 Ohm	No
	Impedance (Ω)	50
Body Features	Body Material	Zinc
	Body Plating Material	Nickel
	Body Style	Straight
	Body Insulation	Without
	Body Shape	Circular
Contact Features	Center Contact Material	Phosphor Bronze
	Center Contact Plating Material	Gold
	Center Contact Plating Thickness (μin)	889
Termination Features	PCB Termination Method	Through Hole
Mechanical Attachment	Panel Mount Retention	With
	Panel Mount Retention Type	Lockwasher and Nut
	PCB Mount Retention	With
	Panel Mount	With
	Polarized	No

	Mounting Post Length	3.48 mm [.137 in]
	Mounting Post Style	Standard
	Panel Attachment Style	Rear Mount
	Hardware Included	No
Dimensions	Height above PCB	34.93 mm [1.375 in]
Packaging Features	Packaging Method	Tray
Other	Comment	If an Insulating Bushing is required, see Part Number 330620.
Product Compliance	Statement of Compliance PDF VIEW ALL PRODUCT COMPLIANCE	

CUSTOMERS ALSO BOUGHT

RIBBON CABLE CONNECTORS

4P, PBC, MICRO-MATCH
VALUE LINE
2178713-4

 Save to List

 Find Similar Products

RJ45 CONNECTORS

MJ, RJ45, SMT, SHLD
2178415-1

 Save to List

 Find Similar Products

STANDARD POWER RELAYS

ORWH-SH-124D, N000
ORWH-SH-124D,N000

 Save to List

 Find Similar Products

SURFACE MOUNT RESISTORS

CPF 0402 931R 0.1%
25PPM 1K RL
CPF0402B931RE1

 Save to List

 Find Similar Products